



## Safety Data Sheet

125/1

### 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product Name	Howstik 125/1
Trade Name	Howstik 125/1
Product code	125/1
CAS No.	Mixture
EC No.	Mixture
REACH Registration No.	Mixture

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Industrial use only. Adhesive Applications.
Uses Advised Against	Not known.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification	Anglo Adhesives & Services Ltd.
Address of Manufacturer	Anglo House The Airfield Dalby Road, Melton Mowbray Leicestershire
Postal code	LE13 0BL
Telephone:	+44 (0) 1664 480866
Fax	+44 (0) 1664 480963
E-mail	sales@anglo-adhesives.co.uk
Office hours	

Supplier

Company Identification	Not known.
Address of Supplier	Not known.
Postal code	Not known.
Telephone:	Not known.
Fax	Not known.
E-mail	Not known.
Office hours	

#### 1.4 Emergency telephone number

Emergency Phone No.	+44 (0) 1664 480866
Contact	Office Hours

#### National response center

Address	National Poisons Information Service (Birmingham Centre) City Hospital Dudley Road, Birmingham, United Kingdom
Emergency Phone No.	+00 448 706 006 266 or NHS - 111

### 2. SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture



## Safety Data Sheet

125/1

2.1.1 Regulation (EC) No. 1272/2008 (CLP)

Aquatic Chronic 2 : Very toxic to aquatic life.  
Skin Irrit 2 : Causes skin irritation.  
Flam. Liq. 2 : Highly flammable liquid and vapour.  
STOT SE 3 : May cause drowsiness or dizziness.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name

Howstik 125/1

Hazard Pictogram(s)



GHS02

GHS07

GHS09

Signal Word(s)

Danger

Hazard Statement(s)

H225: Highly flammable liquid and vapour.

H315: Causes Skin irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233: Keep container tightly closed.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P331: Do NOT induce vomiting.

P391: Collect spillage.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

Not known.

2.4 Additional Information

For full text of H/P Statements see section 16.

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. REACH Registration No.	%W/W Hazard Statement(s)	Hazard Pictogram(s)



## Safety Data Sheet

125/1

Naphtha (petroleum), hydrodesulfurized light, dearomatized Low boiling point naphtha - unspecified [A complex combination of hydrocarbons obtained by distillation of hydrodesulfurized and dearomatized light petroleum fractions. It consists predominantly of C7 paraffins and cycloparaffins boiling in a range of approximately 90°C to 100°C (194°F to 212°F).]	92045-53-9 295-434-2	0-1	Flam. Liq. 2 H225 GHS02 Asp. Tox. 1 H304 GHS08 Skin Irrit. 2 H315 GHS07 STOT SE 3 H336 GHS09 STOT RE 2 H373 Aquatic Chronic 2 H411
Naphtha (petroleum), hydrotreated light Low boiling point hydrogen treated naphtha [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C4 through C11 and boiling in the range of approximately minus 20°C to 190°C (-4°F to 374°F).]	64742-49-0 265-151-9	50-100	Flam. Liq. 2 H225 GHS02 Asp. Tox. 1 H304 GHS08 STOT SE 3 H336 GHS07 Aquatic GHS09 Chronic 2 H411

### 4. SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	Wash skin with water.
Eye Contact	Flush eyes with water for at least 15 minutes.
Ingestion	Wash out mouth with water.
4.2 Most important symptoms and effects, both acute and delayed	
4.3 Indication of any immediate medical attention and special treatment needed	Treat symptomatically.

### 5. SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	Water jet spray
5.2 Special hazards arising from the substance or mixture	May decompose in a fire giving off toxic fumes.
5.3 Advice for fire-fighters	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure full personal protection (including respiratory protection) during removal of spillages.
6.2 Environmental precautions	Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.
6.3 Methods and material for containment and cleaning up	Absorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.



6.4 Reference to other sections See Also Section 8, 13.

## 7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
7.2 Conditions for safe storage, including any incompatibilities	Store in a well-ventilated place. Keep cool. Store locked up.
Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	None known.
7.3 Specific end use(s)	Industrial use only. Adhesive Applications.

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1.1 Occupational Exposure Limits

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Use with ventilation, local exhaust ventilation or breathing protection.

8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection

A suitable mask with filter type A (EN14387 or EN405) may be appropriate.

Thermal hazards None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Brownish.
Odour	Mild
Odour threshold	Not known.
pH	Not known.
Melting point/freezing point	Not known.
Boiling point/boiling range (°C)	60 °C
Flash Point	-26 °C
Flash Point Range	Not known.
Density (g/ml)	Not known.
Evaporation rate	Not known.



## Safety Data Sheet

125/1

Flammability	>200 °C
Vapour density	Not known.
Vapour pressure	Not known.
Relative density	0.8
Solubility (Water)	Insoluble in water.
Solubility (Other)	Not known.
Partition coefficient: n-octanol/water	Not known.
Auto-ignition temperature	>200 °C
Decomposition Temperature (°C)	Not known.
Viscosity	Not known.
Upper/lower flammability or explosive limits	Not known.
Other information	Not known.

### 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	None anticipated.
10.2 Chemical Stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	Avoid friction, sparks, or other means of ignition.
10.5 Incompatible materials	Not known.
10.6 Hazardous decomposition product(s)	None known.

### 11. SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Acute toxicity - Ingestion	Not classified.
Acute toxicity - Skin Contact	Not classified.
Acute toxicity - Inhalation	Not classified.
Skin corrosion/irritation	Calculation method: Causes skin irritation.
Serious eye damage/irritation	Not classified.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	Calculation method: May cause drowsiness or dizziness.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.
11.2 Other information	Not known.

### 12. SECTION 12: ECOLOGICAL INFORMATION

12.1.1 Toxicity - Aquatic invertebrates:	Toxic to aquatic life with long lasting effects.
--	--



## Safety Data Sheet

125/1

12.1.2 Toxicity - Fish	Toxic to aquatic life with long lasting effects.
12.1.3 Toxicity - Algae	Low toxicity to algae.
12.1.4 Toxicity - Sedimentation	The substance has low mobility in sediment.
12.1.5 Toxicity - Terrestrial Compartment	Low toxicity under normal conditions of handling and use.
12.2. Persistence and Degradation	Not known.
12.3. Bioaccumulative potential	Not known.
12.4. Mobility in soil	Not known.
12.5. Results of PBT and vPvB assessment	Not known.
12.6 Other adverse effects	Not known.

### 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Dispose of this material and its container to hazardous or special waste collection point.
13.2 Additional Information	Disposal should be in accordance with local, state or national legislation.

### 14. SECTION 14: TRANSPORT INFORMATION

#### 14.1 UN number

UN No. 1133

#### 14.2 UN proper shipping name

UN proper shipping name ADHESIVES containing flammable liquids

#### 14.3 Transport hazard class(es)

ADR/RID Class	3
IMDG Class	3
IMDG EMS	Not available
ICAO/IATA	
Excepted Quantities	E1
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y344
Passenger and Cargo Aircraft Limited Quantities Max net Qty	10L
Passenger and Cargo Aircraft Max net Qty	355
Passenger and Cargo Aircraft Max net Qty	60L
Cargo Aircraft Packing Instructions	366
Cargo Aircraft Max net Qty	220L
Special Provisions	A3
Emergency Response Guidebook (ERG) Code	3L



## Safety Data Sheet

125/1

ADR Classification Code	F1
ADR HIN	30
ADR Transport Category	3
Tunnel Restriction Code	D/E
Emergency Action Code	*3Y
APP Advice on Additional Personal Protection (APP)	Not applicable

### 14.4 Packing group

Packing group	III
Labels	3



Special Provisions	640E
Limited Quantities	5 L
Excepted Quantities	E1
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	PP1
Mixed Packing Instructions for Packages	MP19

### 14.5 Environmental hazards

Environmental hazards	Not known.
-----------------------	------------

### 14.6 Special precautions for user

Special precautions for user	Not known.
------------------------------	------------

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Packing Instructions for Portable Tanks	
Special Provisions for Portable Tanks	TP1
Tank Code for Tanks	LGBF
Special Provisions for Tanks	Not applicable
Vehicle for Tank Carriage	FL
Special Provisions for Carriage - Packages	V12
Special Provisions for Carriage - Bulk	Not applicable
Special Provisions for Carriage - Loading, Unloading and Handling	Not applicable
Special Provisions for Carriage - Operation	S2

## 15. SECTION 15: REGULATORY INFORMATION

### 15.1 European Regulations

Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation All chemicals are not listed

REACH: ANNEX XIV list of substances subject to authorisation All chemicals are not listed

REACH: ANNEX XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles All chemicals are not listed

Community Rolling Action Plan (CoRAP) Not known.

Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 2037/2000 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

### 15.2 National regulations

Other Not known.

## 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

### Hazard Pictogram(s)



GHS02

GHS07

GHS09

Signal Word(s)

Danger

Hazard Statement(s)

H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.





## Safety Data Sheet

125/1

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P331: Do NOT induce vomiting.

P370+P378: In case of fire: Use water to extinguish.

P391: Collect spillage.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Anglo Adhesives & Services Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Anglo Adhesives & Services Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.